



800-HPRTV




**BEST PRODUCTS
BEST LOCAL SUPPORT**

TM

**FOR MORE INFORMATION CALL
1-800-323-1604**
OR YOUR LOCAL DEALER
www.sewerequipment.com

Outside USA: 847-729-3316
E-mail: sales@sewerequipment.com


The **800-HPRTV Series II** truck jet combines the power of high pressure sewer cleaning with a water jet propelled camera system.



Power Plant - Our quality starts with the triplex pump, powerful hydraulic system, and the pre-painted power plant sub assembly.


One Piece Shroud protects the pump & hydraulically extendable and rotating hose reel. The shroud is available in corrosion resistant Aluminum or Painted Steel. The shroud and all Series II sub-assemblies are pre-painted before assembly to assure the maximum corrosion resistance.

Heated Rear Compartment uses an 80,000 BTU heater to keep components from freezing in cold climates.



Duraprolene™ Water Tanks are comprised of two 750 gallon capacity tanks with ½" thick walls, and true top to bottom baffles that are repairable. The U.V. stabilized material will never rust or corrode, is flexible in nature and will not crack. The two tanks are designed with 8 baffled compartments each to eliminate any tank sloshing or distortion.

Smart Nozzle™ brand high efficiency nozzles are recommended for the best cleaning performance. One high flow nozzle and one chisel point nozzle are included.



Patented Telescoping/Rotating Dual Hose Reel is stored in the heated rear compartment and hydraulically extends out of the compartment using the new Ultra-Glide system for increased durability. The hose reel is also capable of 180 degree rotation. The Series II 800-HPRTV is now available with an optional hydraulically powered rotating hose reel.




Cleaning and televising with the same machine reduces costs while improving flexibility and response time.



Sewer Inspection System includes: rack mounted controls and a video recording device (VHS, digital, or computer with software) in a shock resistant/weather tight enclosure, a camera head (self-leveling or 360 degree view), and a viewing monitor (with optional on-screen footage display and audio recording device) all stored in the heated rear compartment.

Remote Viewing Controls are now available as an option. Located in a protective housing, controls to operate all the functions of your camera system are available at the viewing station on the hose reel.




Umbilical Cord* is a single unit construction of 5/8" sewer hose and multi-conductor camera cable wrapped in a protective, repairable molded casing. The 500' Umbilical Cord allows for easy jet tv operation working just like a sewer cleaning nozzle.



Watertight Controls are contained in a weatherproof NEMA 4 control box.



Smart Counter™ hose footage meter is accurate to +/- 1%. Its large 2 1/4" brightly lit red LED display makes the footage readout visible up to 150 feet away. The Smart Counter™ is housed in a water and dust proof IP65 case.



Automatic Level Wind with Up/Down Action and a Pendant Control allows for safe, clean, and hands-free hose operation away from traffic.

360 Degree View Camera option allows you to switch from a front facing view to a camera that rotates 360 degrees to provide a side view of the surrounding pipe. This makes the viewing of laterals and trouble spots easier than ever.





PRODUCTS

The 800-HPRTV system is great for immediately verifying and video taping the cleanliness of the entire sewer line system.



Great Additions for Your 800-HPRTV



TGV-1000S Trailer Vac



JAJ-600R



**BEST PRODUCTS
BEST LOCAL SUPPORT** TM

FOR MORE INFORMATION CALL
1-800-323-1604

OR YOUR LOCAL DEALER

www.sewerequipment.com

Outside USA: 847-729-3316

E-mail: sales@sewerequipment.com